



ICE CREAM INGREDIENTS SOLUTIONS PRODUCT PORTFOLIO

WOODEN STICKS FOR ICE CREAM

- From both Birchwood and Beechwood
- Different sizes and designs
- Hot stamp with customer logo
- Bundled or loose sticks
- Round edge
- Different stick grades



COMMON TYPES

Standard 93 mm	Standard 114 mm	Bowtie 93 mm	Magnum type 94 mm	Spoon 75 mm	Round stick 140 mm

LOGISTICS

Standard sticks cartons of 10,000 each

Cartons per container	20' container		40' container	
	Pallet	Non pallet	Pallet	Non pallet
114mm - bundle	820	1180	1640	1954
114mm - bulk	920	1130	1840	1954

Wrapped spoons cartons of 12,000 each

Cartons per container	20' container		40' container	
	Pallet	Non pallet	Pallet	Non pallet
75mm spoon	480	630	960	1450

Round stick cartons of 5,000 each

Cartons per container	20' container		40' container	
	Pallet	Non pallet	Pallet	Non pallet
Ø=5mm, 120mm	1000	1500	2000	2300
Ø=5mm, 120mm	770	1200	1540	1850
Ø=5mm, 120mm	920	1300	1840	2000
Ø=5mm, 120mm	700	1000	1400	1540

Magnum type cartons of 10,000 each

Magnum	20' container		40' container	
	Pallet	Non pallet	Pallet	Non pallet
94mm magn. - bundle	640	800	1280	1500
94mm magn. - bulk	640	800	1280	1500
93mm bowtie - bundle	640	800	1280	1500
93mm bowtie - bulk	640	800	1280	1500



BISCUITS FOR ICE CREAM

- Consistent Dimensions
- Reliable Strength; reducing waste
- Consistent texture

1

MOULDED BISCUITS

Stay crunchy when put on Ice cream: possible to put Logo on

2

LAMINATED BISCUITS

Becomes softer when put on ice cream (us version)

3

DIFFERENT TASTE

Vanilla, cocoa, chocolate inclusion etc.



COATINGS & CENTER FILLINGS

- Applications: dipping, enrobing, spray coating, pencil filling
- Types: Real Chocolate Coating and Compound
- Varieties: Chocolate, Milk, White, Hazelnut, Toffee, Caramel, Fruits, ...



CONES AND SLEEVES FOR ICE CREAM

- Different rim types (flat or natural heart shaped rim)
- Different cone colours and taste with or without inclusions
- Gluten free is an option
- Customized cones with company logo
- Sleeves and lids with “windows”
- Secured packing to reduce breakage

OVERVIEW OF DIFFERENT CONE TYPES AND OPTIONS

Cone Length (mm)	Angle
60-70	23°
82-95	23°
98-102	23°
110-115	23°
120-125	23°
130-140	23°
125-130+150-155	18°



INSIDE THE CONE RANGE MANY OPTIONS POSSIBLE

Rim Types:

Variation for the rim or shape are possible, for example flat top, heart shape or natural rim

Flat Top



Natural rim with heart shape (not recommended in combination with sleeves)



Cones with inclusions



FOR FURTHER INFORMATION

PLEASE CONTACT YOUR LOCAL TETRA PAK PROCESSING SALES REPRESENTATIVE.